

EYEWEAR



**PYRAMEX**  
THE PEAK OF SAFETY AND STYLE





# CONTENTS



About Pyramex and Scribal International Group	2
Range Overview	3
H2X Anti-Fog and Safety Standards	4
Lens Options	5
 <b>Safety Glasses</b>	
ONIX	6
REATA	7
MONTEGO	8
MAYAN	9
VENTURE 3	10
PROTOCOL	11
V2 METAL	12
ZONE II	13
EXETER	14
GOLIATH	15
ITEK	21
INTRUDER	22
MINI INTRUDER	22
INTEGRA	23

## Specialty Glasses

V2G	16
XS3 Plus	18
DV30	19
ONIX Plus	20

## Safety Goggles

OTS	23
V2G XP	24
CAPSTONE 600	26
CAPSTONE 500	27
STANDARD	28

## Accessories

Lens Accessories	29
------------------	----





Pyramex Safety Products LLC was founded in 1991. Since that time Pyramex has experienced phenomenal growth. Through a combination of outstanding products, service, personnel and a great network of distributors, Pyramex has become one of the top 4 manufacturers of safety spectacles.

Pyramex provides personal protective products to millions of users around the world. At Pyramex, our focus is on partnering with our network of over 2000 distributors to grow their business. We work not only to provide superior products, but also to provide solutions for our distributors and their customers.

Focusing primarily on the neck up, Pyramex is a manufacturer of an expanding line of Safety Products that include:

- Safety Eyewear
- Hard Hats
- Hearing Protection
- Headgear & Face Shields
- Back Support Belts
- Welding Protection

Pyramex innovation never stops. We introduce the most new models every year. Pyramex understands that safety must always be its primary focus. Some of the largest companies in the world trust Pyramex products to protect their most important asset, their employees. Time and again, Pyramex products are preferred over the competitor's because of our attention to the desires of the end-user.



Scribal International Group have a complete range of products to ensure your team's wellbeing in the workplace. Our comprehensive and cost effective range is backed up by a team of experienced sales representatives providing customers with expert advice and service.

We are a proudly Australian owned and operated company distributing a full range of products nationwide from our NSW based warehouse. Our range includes gloves, eye wear, ear wear, clothing, breathing units, coveralls, hazard and silt control, head protection, signage and much more!

Our dedicated sales team understands that in today's competitive business world, superior customer service is vitally important. Our experienced team will work with you personally to provide the best possible solutions to meet your individual needs.

If you are looking for expert advice, competitive pricing, quick turn around and reliable delivery you've come to the right place - SCRIBAL INTERNATIONAL GROUP.

**"Our approach is fresh and the solutions are unique. For the team at Scribal International Group, customer service is an attitude not a department".**



GLOVES



EYE WEAR



EAR WEAR



BREATHING



CLOTHING



1ST AID



HAZARD



SILT CONTROL

## WHY CHOOSE US?

- ✓ High Quality and Cost Effective Products
- ✓ Workable Minimum Order Quantities
- ✓ Experienced and Dedicated Customer Service Team
- ✓ In-House Graphic Design Team
- ✓ Advanced Digital Printing Equipment
- ✓ Competitive Pricing
- ✓ Australia Wide Delivery

# RANGE OF SAFETY EYEWEAR



Pyramex is always looking for room for improvement in terms of design concepts. Data collected from different elements in life, new and innovative technology, and the creative minds of our staff have all contributed to our leading position in the safety eyewear industry.

Based on 20 years of experience in the safety eyewear market, Pyramex is excited to introduce the peak of safety and style to the Australasian market.

As a leading manufacturer of safety eyewear, on-going Research & Development is one of Pyramex's most important assets. Through systematic and comprehensive precision testing, we can successfully turn concepts and technical innovations into first class products.

The Pyramex range of protective eyewear by Scribal Group is comprehensive. From the economical Integra and Intruder to the fashionable Goliath and Protocol, Pyramex has something to meet your needs. Based on the feedback of millions of users, Pyramex offers a full range of products that focus on Safety, Comfort, Style and Innovation.

## SAFETY GLASSES



ONIX™



REATTa™



MONTEGO™



MAYAN™



VENTURE 3™



PROTOCOL™



V2 METAL™



ZONE II™



EXETER™



GOLIATH™



ITEK™



INTRUDER™



MINI INTRUDER™



INTEGRA™



OTS™

## SPECIALTY GLASSES



XS3 PLUS™



V2G™



DV30™



ONIX PLUS™

## SAFETY GOGGLES



V2G XP™



CAPSTONE™



CAPSTONE™



STANDARD

## H<sub>2</sub>X

NEW H<sub>2</sub>X Anti-fog Technology from Pyramex provides more clarity and better optical performance than the competing anti-fog treatments.



Competing anti-fog treatments

OR



H<sub>2</sub>X

New, innovative anti-fog, anti-scratch lens coating - The new anti-fog technology, H<sub>2</sub>X, blocks out fog, mist, sweat and steam. As weather constantly changes from one extreme to the next, people require eye protection that exceeds the norm so they are able to keep up with the variant conditions. With H<sub>2</sub>X the customer's vision will remain optically clear in any weather element. H<sub>2</sub>X anti-fog coating is bonded to the lenses, and will continue to be effective even after repeated cleanings.

Clear vision is imperative to accomplish proper safety precautions in today's workplace. With the advanced technology of H<sub>2</sub>X, Pyramex lenses remain unaffected by steam 15 times longer than other anti-fog treatments. The new coating will withstand weather and temperature environments where humid or cold conditions cause eyewear to fog.

More H<sub>2</sub>X Features:

- ANTI-FOG
- ANTI-SCRATCH: H<sub>2</sub>X has an upgraded anti-scratched performance.
- ANTI-STATIC: Lenses do not attract dust.
- ANTI-UV RADIATION: All of our lenses provide UVA & UVB protection due to the feature of PC raw material.

The H<sub>2</sub>X coating is very soft when it absorbs humidity due to the surfactant (coating ingredient) feature. Although the new anti-fog coating is washable, it CANNOT be wiped when it is wet. Pat dry with a clean, soft, lint-free cloth or tissue and then wipe with soft cleaning cloth.

## SAFETY STANDARDS

All Pyramex (Australia) Safety Eyewear is certified to meet global safety standards for "Safety Eyewear" and "Personal Eye Protection" and has certification across Australian, European and American Certification Systems.



AS/NZS 1337

Australian Standard – AS/NZS 1337

Australian standard AS/NZS 1337.1:2010 "Personal eye protection - Eye and face protectors for occupational applications" for Medium Impact (the highest possible rating for safety eyewear in Australia). The objective of this Standard is to provide tests and requirements for eye and face protectors to be used occupationally.



European Standard – CE EN166

Certain styles of Pyramex (Australia) Safety Eyewear are also certified to the European Standard CE EN166 "Personal eye-protection – Specifications".

EN166 is the core technical European standard to which all PPE involved in protecting the eyes or face must be approved. Within the standard, there are numerous levels of compliance, depending on the end use of the piece of equipment in question.



American Standard – ANSI Z87.1-2003 High Impact



Canadian Standard - SEI Cert. Mod. - CAN/CSA Z94.3-07

All Pyramex (AS/NZS 1337) lenses are made from high grade UV400 polycarbonate, providing 100% protection against harmful UVA and UVB rays. Grey lens are NOT to be used in welding environments.

Understanding UV and VLT (Visible Light Transmission)

**UV** Ultra Violet rays from the sun can damage your eyes by contributing to cataracts, macular degeneration and growths on the eye – including cancer.

**UVB** rays are the main concern for your eyes. According to the American Academy of Ophthalmology, “Long term exposure to UV radiation in sunlight is linked to eye disease.” UVB radiation is considered more dangerous to eyes and skin than UVA radiation.

**UVA** rays are the primary ones absorbed by your eyes. While they pose far less concern than UVB, doctors still recommend that they be avoided. UVC rays are not a concern, as they are blocked by the atmosphere.

**VLT** Visible Light Transmission describes the amount of light that reaches your eyes through the lenses. Measured as a percentage, VLT is affected by the colour and thickness of your lenses, the material they’re made of and the coatings that they have on them.

## Polycarbonate Specifications

Polycarbonate is a soft material – allowing it to absorb energy from impact without breaking or cracking. Polycarbonate (PC) material is used for 99% of all safety spectacles. It was originally developed for the aerospace industry – used in windows for airplanes and in face shields for astronaut helmets. Polycarbonate offers good chemical resistance against diluted acids, alcohols, greases and oils.

## Anti-Scratch Coating

Due to the soft characteristics of polycarbonate, anti-scratch coatings are necessary to prevent scratches and provide resistance to abrasions. Anti-scratch coatings do not affect the optical characteristics of the lens.

## Anti-Fog Treatment

Anti-fog coatings are permanent and offer additional scratch resistance. This treatment also provides anti-static protection.

Pyramex’s H2X™ anti-fog technology blocks out fog, mist, sweat and steam. With H2X™, vision will remain optically clear in any weather element. H2X™ anti-fog, anti-scratch coating is bonded to the lenses, and will continue to be effective even after repeated cleanings. H2X™ technology is available in select models of Pyramex eyewear.



## CLEAR

General purposes for indoor applications that require impact protection.



## GREY

Commonly used in outdoor applications. Offers protection from excessive glare.



## AMBER

Commonly used in indoor, low light applications. Enhances contrast.



## INDOOR / OUTDOOR MIRROR

Coated with a light gold mirror finish to reduce glare. Commonly used where it is required to move between indoor applications to outdoor applications.



## SILVER MIRROR

Grey polycarbonate lens with silver mirror coating. Commonly used in outdoor applications. Reduces glare.



## SKY RED MIRROR

Grey polycarbonate lens with a double layer of silver and red mirror coatings. Commonly used in outdoor applications.



## ICE BLUE MIRROR

Grey polycarbonate lens with a double layer of silver and blue mirror coatings. Commonly used in outdoor applications.



## 3.0 IR FILTER

Commonly used around welding sites or for light brazing or cutting.



## 5.0 IR FILTER

Commonly used around welding sites or for medium to heavy cutting and medium to heavy gas welding.



## H2X™ LENS TREATMENT

H2X™ anti-fog technology blocks out fog, mist, sweat and steam. With H2X™, vision will remain optically clear in any weather element. H2X™ anti-fog, anti-scratch coating is bonded to the lenses, and will continue to be effective even after repeated cleanings. H2X™ technology is available in select models of Pyramex Safety eyewear.



Lightweight frame and suspended lens design provide a perfect fit for a variety of uses

### ONIX™ FEATURES

Suspended lens provides stylish look, comfort fit, panoramic view and maximum protection

Ratcheting temples provide different angles for perfect view and fit



Cushioned temple tips provide non-slip comfort



Newly designed adjustable nose piece provides 3 different angles, allowing the user to find the most comfortable fit

Provides 100% protection from harmful UV-A and UV-B rays

### ONIX™ LENS OPTIONS



H<sub>2</sub>X

**ASB4910ST** (Anti-Fog)  
Clear Lens with  
Black Frame



**ASB4920S**  
Grey Lens with  
Black Frame



**ASB4970S**  
Silver Mirror Lens with  
Black Frame



**ASB4980S**  
I/O Mirror Lens with  
Black Frame

### ONIX™ APPLICATIONS

- Industrial
- School
- Transportation
- Medical
- Dental
- Lab
- Warehouse
- Recreation
- Assembly
- Professional

### ONIX™ TECHNICAL DATA

- Weight 27 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact



## SAFETY GLASSES

Lightweight protection with stylish dual colour frame

### REATTA™ FEATURES

Sports style lens provides maximum protection

Straight back flexible temples provide comfort fit

Vented lens allows air flow to prevent fogging

Adjustable nose pad secures the glass to prevent slipping

Lenses provide 100% protection against harmful UV rays

### REATTA™ LENS OPTIONS



**ASB4810DT** (Anti-Fog)  
Clear Lens with Black/Silver Frame



**ASBS4820D**  
Grey Lens with Black/Silver Frame



**ASBS4870D**  
Silver Mirror Lens with Black/Silver Frame



**ASBS4880D**  
I/O Mirror Lens with Black/Silver Frame

### REATTA™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

### REATTA™ TECHNICAL DATA

Weight 30 grams  
Standards – AS/NZS 1337  
Certified Impact Protection  
– Medium Impact



Naturally curved, resilient Flex-Lite temples are extremely flexible and light weight

### MONTEGO™ FEATURES

Naturally curved, resilient Flex-Lite temples are extremely flexible without hinges & metal screws

Form fitting brow guard and 9.5 base curved lenses provide full front and side protection



Soft, adjustable nose piece provides universal fit

Fully dielectric with no metal parts. Excellent for linemen or others exposed to electric arc.

### MONTEGO™ LENS OPTIONS



**ASB5310S**  
Clear Lens with Black  
Flex-Lite Temples



**ASB5320S**  
Grey Lens with Black  
Flex-Lite Temples

### MONTEGO™ APPLICATIONS

- Manufacturing
- Industrial
- Warehouse
- Woodworking
- Assembly
- School
- Lab
- Medical
- Dental
- Construction

### MONTEGO™ TECHNICAL DATA

- Weight 18 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact

## SAFETY GLASSES

# MAYAN™



Crafted of high grade nylon and polycarbonate materials

### MAYAN™ FEATURES



Sleek in-line ratchet adjustable temples provide perfect fit.

Fashionable, soft rubber straight back temples – no length adjustment necessary.

Integrated nose piece provides universal fit

Provides 100% protection from harmful UV-A and UV-B rays.

### MAYAN™ LENS OPTIONS



ASB2610D  
Clear Lens with Black Frame



ASB2620D  
Grey Lens with Black Frame

### MAYAN™ APPLICATIONS

- Manufacturing
- Industrial
- Warehouse
- Woodworking
- Assembly
- School
- Lab
- Medical
- Dental
- Construction

### MAYAN™ TECHNICAL DATA

- Weight 28 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact



Perfectly balanced to provide the best possible fit

### VENTURE 3™ FEATURES

High quality optics offer extreme clarity and no distortion.



Soft dual-injected rubber temple tips combined with fully adjustable straight back temples reinforce the highest level of comfort and fit.



Newly designed ventilated nosepiece is soft and adjustable, allowing heat to dissipate from nose bridge and reduce fogging.

9.5 base curved lens provides excellent side protection against wind and air-borne particles.



Perfectly balanced from temple tips to the bridge of the nose, providing the best fit possible.



Top of frame is ventilated allowing air to circulate and prevent fogging.

### VENTURE 3™ LENS OPTIONS



**ASB5710DT** (Anti-Fog)  
Clear Lens with Black Frame



**ASB5720DT** (Anti-Fog)  
Grey Lens with Black Frame



**ASB5730D**  
Amber Lens with Black Frame



**ASB5770D**  
Silver Mirror Lens with Black Frame

### VENTURE 3™ APPLICATIONS

- Manufacturing
- Industrial
- Military
- Law Enforcement
- Fire
- Construction
- Warehouse
- Recreation
- Assembly
- Lab
- Forestry

### VENTURE 3™ TECHNICAL DATA

Weight 28 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact



## SAFETY GLASSES

Protocol sets the standard for optimal style in safety eyewear, with clean lines and simple sophistication

### PROTOCOL™ FEATURES

Unisex design incorporates the elements of safety and fashion eyewear

Provides 100% protection from harmful UV-A and UV-B rays.

Flexible PVC nose pads and temple tips generate a soft cushion for a high level of comfort.

Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

### PROTOCOL™ LENS OPTIONS



ASB6210DT (Anti-Fog)  
Clear Lens with Black Frame



ASB6220DT (Anti-Fog)  
Grey Lens with Black Frame

### PROTOCOL™ APPLICATIONS

- Manufacturing
- Industrial
- Warehouse
- Woodworking
- Assembly
- School
- Lab
- Medical
- Dental
- Construction

### PROTOCOL™ TECHNICAL DATA

- Weight 24 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact



Contemporary styled gun metal frame

## V2 METAL™ FEATURES

9.75 base curved lens provides full side protection.

Spring loaded temples make this eyewear easy to position

Provides 100% protection from harmful UV-A and UV-B rays.

100% polycarbonate Scratch-resistant lenses

## V2 METAL™ LENS OPTIONS



**ASGM1810S**  
Clear Lens with Gun  
Metal Frame



**ASGM1820S**  
Grey Lens with Gun  
Metal Frame



## V2 METAL™ APPLICATIONS

- Manufacturing
- Industrial
- Warehouse
- Woodworking
- Assembly
- School
- Lab
- Medical
- Dental
- Construction

## V2 METAL™ TECHNICAL DATA

Weight 40 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

Elevated frame for precision fit and weightless wear

## ZONE II™ FEATURES



## ZONE II™ LENS OPTIONS



## ZONE II™ APPLICATIONS

- Law Enforcement
- Construction
- Recreation
- Landscaping
- Forestry
- Marine
- Agriculture

## ZONE II™ TECHNICAL DATA

- Weight 32 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact



Sport styling with maximum protection

### EXETER™ FEATURES

Curved lens with side window gives fashionable look with panoramic view.

Durable frame gives a pressure free fit

Soft nose piece and rubber insert temple tips provide a comfortable fit.

Scratch resistant lenses filter out 100% of harmful UV rays

### EXETER™ LENS OPTIONS



**ASB5120DT** (Anti-Fog)  
Grey Lens with  
Black Frame



**ASB5155DT** (Anti-Fog)  
Sky Red Mirror Lens with  
Black Frame



**ASB5170DT** (Anti-Fog)  
Silver Mirror Lens with  
Black Frame



**ASB5165DT** (Anti-Fog)  
Ice Blue Mirror Lens with  
Black Frame



### EXETER™ TECHNICAL DATA

Weight 29 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

### EXETER™ APPLICATIONS

Law Enforcement

Construction

Landscaping

Recreation

Marine

Agriculture

Professional



## SAFETY GLASSES

Goliath demonstrates strength with style and protection

### GOLIATH™ FEATURES

Wrap-around, sunglass style fits all facial sizes.

Comfort-fit, rubber temples prevent eyewear from slipping to provide maximum performance.

Lightweight, contemporary frame is comfortable for both working environments and recreational activities.



Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style.

Lenses provide 100% protection against harmful UV rays

### GOLIATH™ LENS OPTIONS



**ASB5620D**  
Grey Lens with  
Black Frame



**ASB5655D**  
Sky Red Mirror Lens with  
Black Frame




**ASB5665D**  
Ice Blue Mirror Lens with  
Black Frame

### GOLIATH™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

### GOLIATH™ TECHNICAL DATA

- Weight 35 grams
- Standards – AS/NZS 1337
- Certified Impact Protection – Medium Impact



High performance specialty glasses for a modern workplace

## V2G™ FEATURES

Headband features ratchet adjustment for perfect fit.

Flame Resistant Foam padding forms a perfect seal to keep out dust and airborne particles.



## V2G™ LENS OPTIONS



**H<sub>2</sub>X** **AGB1810ST** (Anti-Fog)  
Clear Lens with Black Strap/  
Temples



**H<sub>2</sub>X** **AGB1820ST** (Anti-Fog)  
Grey Lens with Black Strap/  
Temples



**H<sub>2</sub>X** **AGB1850SFT** (Anti-Fog) 5.0 IR  
Filter Lens with Black Strap/  
Temple



**H<sub>2</sub>X** **AGB1830ST** (Anti-Fog)  
Amber Lens with Black  
Strap/ Temples



**H<sub>2</sub>X** **AGB1880ST** (Anti-Fog)  
Indoor/Outdoor Mirror Lens  
with Black Strap/Temples



**H<sub>2</sub>X** **AGB1860SFT** (Anti-Fog) 3.0 IR  
Filter Lens with Black Strap/  
Temple

Interchangeable temples/  
headband included with  
each pair of V2G



Headband features quick fit  
retainer.



## V2G™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

## V2G™ TECHNICAL DATA

Weight 38 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact



# V2G RX INSERT

## V2G™ RX INSERT FEATURES

Lens insert is held firmly in place with a specially designed, metal clasp.

Insert is extremely lightweight for comfort.

V2G polycarbonate lens protects the magnifying or prescription lenses from damage.

Includes micro-fiber storage case for protection.



Rx lens insert easily snaps securely into place above nosepiece.



## RX1800 INSERT

Specially designed for a variety of prescription lens options.

Must be taken to local optometrist for RX lens installation.



**RX1800**  
V2G RX Lens Insert Frame

## MAGNIFICATION INSERTS

Available in +1.5 and +2.0 magnifying strengths.



**RX1800R15**  
V2G RX Lens Insert  
+1.5 Magnification



**RX1800R20**  
V2G RX Lens Insert  
+2.0 Magnification





Sports-look safety Spectacle with superior eye protection

## XS3 PLUS™ FEATURES

Open temples allow clip on cord  
option for goggle-like fit.

Unique temple design with  
co-injection temple tips for  
cushioned comfort.



Slim Temples for custom fit



100% polycarbonate  
Scratch-resistant lenses

Soft foam padding  
provides comfort fit.



## XS3 PLUS™ LENS OPTIONS



**H<sub>2</sub>X** ASB4610STP (Anti-Fog)  
Clear Lens with Black Frame



**H<sub>2</sub>X** ASB4620STP (Anti-Fog)  
Grey Lens with Black Frame



**H<sub>2</sub>X** ASB4630STP (Anti-Fog)  
Amber Lens with Black Frame



## XS3 PLUS™ APPLICATIONS

- Manufacturing
- Industrial
- Recreation
- Landscaping
- Forestry
- Medical
- Dental
- Lab
- Woodworking
- Refinery
- Brazing

## XS3 PLUS™ TECHNICAL DATA

- Weight 34 grams
- Standards – AS/NZS 1337
- Certified Impact Protection  
– Medium Impact



Anti-reflective protection from glare and UV radiation

# EVERYBODY WHO USES A COMPUTER NEEDS EYE PROTECTION

Even though many people haven't heard of it yet, Computer Vision Syndrome (CVS) is the eye problem of the decade. After long hours in front of a computer screen, workers and gamers alike experience a full range of discomforting and painful symptoms.

The American Optometric Association says as many as 90% of the world's computer users may be affected.



## HIGHER PROTECTION

DV30 lenses provide protection against UV Radiation up to 400nm. The UV absorbing lenses protect eyes from harmful neon and halogen light.

## RECOMMENDED FOR DRIVING

Enhanced color recognition provides you with improved safety & faster recognition of potential hazards on the road, especially at night. The reflection of street lamps and headlights on your lenses are virtually eliminated.

## GREATER COMFORT

Anti-reflection coating decreases computer glare and overhead fluorescent glare.

## LESS FATIGUE

High definition lenses block out 65% of blue light. This will reduce the sharpness of objects which cause eye fatigue, tired, or sore eyes, that can lead to headaches.

## HIGH DURABILITY

Anti-reflective coatings enhance the quality and extend the lifetime of your lenses by providing superior scratch resistance, durability and resistance to dirt and water.

## IMPROVING ACCURACY

Yellow tinted lenses preserve color recognition while improving your percentage of depth perception and contrast.

## DV30™ APPLICATIONS

[Industrial](#)[Construction](#)[Medical](#)[Dental](#)[Lab](#)[Banking](#)[Technical](#)[IT](#)[Engineering](#)[Software Design](#)[Electrical](#)

## DV30™ TECHNICAL DATA

Weight 21 grams

Standards – CE EN1836 Certified  
and ANSI Z80.3-2001



This utility spectacle encompasses ultimate vision protection with a stylish design and various functional features

## ONIX PLUS™ FEATURES

3-angle adjustable flip lens allows users to freely adapt to different working procedures.

Dual lens and frame with unique outer flip lens system provides users with multiple options. Flip the outer lens up for general applications. Flip the outer lens down for applications where tinted lenses are needed.

Co-Material cushioned temple tips provide non-slip comfort

Newly designed adjustable nosepiece provides 3 different angles, allowing the user to find the most comfortable fit.

100% polycarbonate  
Scratch-resistant  
lenses

## ONIX PLUS™ LENS OPTIONS



**SB4920STP** (Anti-Fog)  
Clear Lens, Grey Flip Lens with  
Black Frame



**SB4950STP** (Anti-Fog)  
Clear Lens, 5.0 IR Filter Flip Lens  
with Black Frame



**SB4960STP** (Anti-Fog)  
Clear Lens, 3.0 IR Filter Flip Lens  
with Black Frame



## ONIX PLUS™ APPLICATIONS

Industrial

School

Transportation

Medical

Dental

Lab

Warehouse

Recreation

Assembly

Professional

## ONIX PLUS™ TECHNICAL DATA

Weight 47 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

Lightweight, frameless protection is ideal for all-day wear

### ITEK™ FEATURES

9.75 base curved lens provides excellent side protection against airborne particles.

Straight back flexible temples provide comfort fit



Newly designed ventilated nosepiece allows heat to dissipate from nose bridge to reduce fogging.

Softdual injected rubber temple tips and flexible nosepiece provide non-slip comfort.

### ITEK™ LENS OPTIONS



AS5810S  
Clear Lens with Clear Temples



AS5820S  
Grey Lens with Grey Temples



AS5830S  
Amber Lens with Amber Temples

### ITEK™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

### ITEK™ TECHNICAL DATA

- Weight 22 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact





# INTRUDER™

## SAFETY GLASSES

Economical lightweight glass offers superior protection

### INTRUDER™ TECHNICAL DATA

Weight 33 grams

Standards – AS/NZS 1337

Certified Impact Protection  
– Medium Impact

### INTRUDER™ APPLICATIONS

Manufacturing

Industrial

Warehouse

Woodworking

Assembly

School

Lab

Medical

Dental

Construction

### INTRUDER™ FEATURES

100% polycarbonate lenses

Economical lightweight glass offers superior protection.

Offers protection from harmful UV Rays

Scratch-resistant lenses

### INTRUDER™ LENS OPTIONS



AS4110S /  
AS4110ST (Anti-Fog)  
Clear Lens with Clear Frame



AS4120S  
Grey Lens with Grey  
Frame



AS4130S  
Amber Lens with Amber  
Frame



AS4180S  
Indoor/Outdoor Mirror  
Lens with Indoor/  
Outdoor Mirror Frame



# MINI INTRUDER™

## SAFETY GLASSES

Same great features as Intruder - for smaller facial sizes

### MINI INTRUDER™ TECHNICAL DATA

Weight 30 grams

Standards – AS/NZS 1337

Certified Impact Protection  
– Medium Impact

### MINI INTRUDER™ APPLICATIONS

Manufacturing

Industrial

Warehouse

Woodworking

Assembly

School

Lab

Medical

Dental

Construction

### MINI INTRUDER™ FEATURES

100% polycarbonate lenses

Superior comfort and fit

Offers protection from harmful UV Rays

Scratch-resistant lenses

### MINI INTRUDER™ LENS OPTIONS



AS4110SN  
Clear Lens with Clear Frame

Same features as Intruder but designed for smaller facial sizes.





## SAFETY GLASSES

# INTEGRA



Single lens with adjustable temples for reliable performance

### INTEGRA™ FEATURES

Single lens and adjustable temples ensure reliable performance.



### INTEGRA™ LENS OPTIONS



**ASB410S**  
Clear Lens with Black Frame



**ASB420S**  
Grey Lens with Black Frame

### INTEGRA™ TECHNICAL DATA

Weight 35 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

### INTEGRA™ APPLICATIONS

Manufacturing

Industrial

Warehouse

Woodworking

Assembly

School

Lab

Medical

Dental

Construction

## SAFETY GLASSES

# OTS™



Designed to fit over prescription eyewear

### OTS™ FEATURES

Designed to better fit today's prescription eyewear.



### OTS™ LENS OPTIONS



**AS3510STJ** (Anti-Fog)  
Clear Lens with Black Temples

### OTS™ TECHNICAL DATA

Weight 33 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

### OTS™ APPLICATIONS

Manufacturing

Industrial

Warehouse

Woodworking

Assembly

School

Lab

Medical

Dental

Construction



# V2G-XP™

First in class, multi-functional goggle with 180° vision protection against sun glare, dust, wind, and harmful UV rays

## V2G-XP™ FEATURES

Special indirect ventilation system located at the top and bottom of frame allow air flow & heat release.

Includes a wide adjustable elastic strap with quick release system for secure fit.



TPU frame features excellent resistance to cold and heat and provides a perfect facial seal.

Optional RX-insert frame secures in the inner side of frame (see opposite)

## V2G-XP™ LENS OPTIONS



**H<sub>2</sub>X** AGB6410SDT (Anti-Fog)  
Dual Clear lens with black strap

Dual Pane lens combines optically correct polycarbonate outer lens combined with interior acetate lens to create a Thermo Lens System which traps and isolates high heat or extreme cold in between the lens system and away from the face.

The Thermo Lens System provides excellent resistance to fogging caused by the temperature difference between indoor & outdoor or between on-site and ambient environment.

## V2G-XP™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

## V2G-XP™ TECHNICAL DATA

- Weight 80 grams
- Standards – AS/NZS 1337 and CE EN166 Certified
- Certified Impact Protection – Medium Impact



V2G-XP optical insert for prescription lens options

# V2G-XP™ RX INSERT

## V2G-XP™ RX INSERT FEATURES

RX lens insert easily snaps securely into place above nosepiece.

RX lens insert is held firmly in place.

Extremely lightweight for comfort.

Specially designed for a variety of prescription lens options.

Includes micro-fiber storage case for protection.

Must be taken to local optometrist for RX lens installation.



**RX6400**  
RX Insert for V2G-XP



Dual purpose goggle adjustable to many different applications

### CAPSTONE™ 600 SERIES FEATURES

Modern co-material goggle provides superior protection against dust entry and chemical splash



Adjustable quick release band for easy on and off

Indirect-vent frame provides protection against splash and dust



First class polycarbonate lens with impact resistance

Thermoplastic (TPE) body is flexible and contours to the user's face

### CAPSTONE™ 600 SERIES OPTIONS



**AG604T2** (Anti Fog) Clear Lens  
Goggle with interchangeable cloth and neoprene straps



### CAPSTONE™ APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

### CAPSTONE™ TECHNICAL DATA

Weight 84 grams

Standards – AS/NZS 1337  
and CE EN166 Certified


Certified Impact Protection  
– Medium Impact



First Class optical polycarbonate lens for impact resistance

## CAPSTONE™ 500 SERIES FEATURES

Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical resistance.



Spacious design fits over prescription eyewear.

Indirect-vent frame provides protection against splash and dust



Adjustable quick release elastic band for easy on/off

Soft vinyl goggle body conforms to facial contour for comfort fit

## CAPSTONE™ 500 SERIES OPTIONS



**H<sub>2</sub>X**  
AG504DT (Anti Fog) Grey Direct/  
Indirect Goggle with Clear Dual Lens



**H<sub>2</sub>X**  
AGC504TN (Anti-Fog)  
Chemical Green Direct / Indirect Goggle  
with Neoprene Strap with Clear Lens

## AG504DT

Capstone Dual Lens  
Dual lens ensures ultimate  
anti-fog performance.

Double lens consists of  
polycarbonate lens on the  
outer side with acetate anti-fog  
lens on the inner side.

CAPSTONE™  
APPLICATIONS

Industrial  
Construction  
Law Enforcement  
Recreation  
Landscaping  
Marine  
Agriculture  
Warehouse  
Fire  
Manufacturing

CAPSTONE™  
TECHNICAL DATA

Weight 92 grams  
Standards – AS/NZS 1337  
Certified Impact Protection  
– Medium Impact



Standard workplace goggles for effective eye protection

## STANDARD SAFETY GOGGLE FEATURES



### AG200T FEATURES

Vent-less goggle provides protection against harmful odor vapours

Lenses provide 100% protection against harmful UV rays

### AG201T FEATURES

Perforated, provides excellent ventilation

Lenses provide 100% protection against harmful UV rays

### AG204T FEATURES

Chemical splash goggle features vent caps to restrict influx of liquids

Lenses provide 100% protection against harmful UV rays

## STANDARD GOGGLE OPTIONS



AG200T (Anti-Fog)  
Ventless Goggle



AG201T (Anti-Fog)  
Perforated Goggle



AG204T (Anti-Fog)  
Chemical Goggle



## STANDARD APPLICATIONS

- Industrial
- Construction
- Law Enforcement
- Recreation
- Landscaping
- Marine
- Agriculture
- Warehouse
- Fire
- Manufacturing

## STANDARD TECHNICAL DATA

Weight 79 grams

Standards – AS/NZS 1337  
and CE EN166 Certified

Certified Impact Protection  
– Medium Impact

# LENS CLEANING, POS, CASES



Accessories for the Pyramex Safety Eyewear range



CORDS7A



CORDS8A



NE01



CA300B



LCT100 Lens Cleaning  
Towelettes individual



LCC100 Lens Cleaning  
Towelettes



DISPLAY  
Glasses Display



DIS5BL  
Glasses Display



DIS9TR  
Glasses Display



TM

# PYRAMEX

THE PEAK OF SAFETY AND STYLE



SAFETY EYEWEAR



SPECIALTY EYEWEAR



SAFETY GOGGLES



## CONTACT SCRIBAL INTERNATIONAL GROUP

**Phone Toll Free:** 1800 264 996

**Fax:** (02) 4348 7158

**Email:** [sales@scribalinternational.com.au](mailto:sales@scribalinternational.com.au)

**Web:** [www.scribalinternational.com.au](http://www.scribalinternational.com.au)

